



SEARCH



INDEX


Hydraulic Top Links	4
Standard Top Links	10
Heavy Duty Top Links	18
Linkage Pins and Accessories	20



SEARCH



HYDRAULIC TOP LINKS




LIGHT DUTY

CAT 2/2

Part No.	Min (mm)	Max (mm)	Stroke (mm)	A. Tube Dia	B. Rod Dia	C (mm)	N (mm)	Force (Tonne)
54866	500	675	175	Ø60 x 70	Ø35	Ø26	47	5.6/3.8
54865	550	775	225	Ø60 x 70	Ø35	Ø26	47	5.6/3.8
54864	600	875	275	Ø60 x 70	Ø35	Ø26	47	5.6/3.8
54863	650	975	325	Ø60 x 70	Ø35	Ø26	47	5.6/3.8
54862	700	1075	375	Ø60 x 70	Ø35	Ø26	47	5.6/3.8





HEAVY DUTY

CAT 2/2

Part No.	Min (mm)	Max (mm)	Stroke (mm)	A. Tube Dia	B. Rod Dia	C (mm)	N (mm)	Force (Tonne)
54861	500	707	207	Ø50 x 60	Ø30	Ø26	51	4/2.5
54860	550	807	257	Ø50 x 60	Ø30	Ø26	51	4/2.5
54859	600	907	307	Ø50 x 60	Ø30	Ø26	51	4/2.5
54858	650	1007	357	Ø50 x 60	Ø30	Ø26	51	4/2.5
54857	700	1107	407	Ø50 x 60	Ø30	Ø26	51	4/2.5



SEARCH



HYDRAULIC TOP LINKS

Hose

**53473**

Hose Hydraulic Top Link 800mm Pair with Fittings

CAT 1 Ball - CAT 1 Ball

	Part No.	Min Length	Max Length	Ram Stroke	Cylinder ID	Piston Rod Diameter
COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53458	470mm	680mm	210mm	50mm	30mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53459	540mm	820mm	280mm	50mm	30mm

CAT 2 Ball - CAT 2 Ball

COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53460	430mm	590mm	160mm	50mm	30mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53461	480mm	690mm	210mm	50mm	30mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53462	570mm	886mm	296mm	63mm	35mm
COMPLETE WITH HOSE						
	53463	620mm	931mm	311mm	63mm	35mm



SEARCH




CAT 2 Hook - CAT 2 Ball

	Part No.	Min Length	Max Length	Ram Stroke	Cylinder ID	Piston Rod Diameter
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53464	585mm	859mm	274mm	63mm	35mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53465	595mm	834mm	239mm	80mm	40mm

CAT 2 Hook - Knuckle, KNUCKLES NOT INCLUDED

COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53453	580mm (640mm Including Knuckle)	825mm (885mm Including Knuckle)	245mm	80mm	40mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53454	620mm (680mm Including Knuckle)	905mm (965mm Including Knuckle)	285mm	80mm	40mm

Knuckle Options



CAT 2	28mm	CAT3	PIN
			
53467 25mm Pin & R Clip included A: 28mm B: 25.4mm C: 40mm	53468 28mm Pin & R Clip included A: 28mm B: 28mm C: 40mm	53469 32mm Pin & R Clip included A: 28mm B: 32mm C: 40mm	53466 Pin with R Clip Usable Length 85mm Diameter 28mm

HYDRAULIC TOP LINKS

SEARCH

Hose



53473

Hose Hydraulic Top Link 800mm Pair with Fittings

CAT 3 Ball - Knuckle, KNUCKLES NOT INCLUDED

	Part No.	Min Length	Max Length	Ram Stroke	Cylinder ID	Piston Rod Diameter
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53452	580mm (640mm Including Knuckle)	825mm (885mm Including Knuckle)	245mm	90mm	45mm

CAT 3 Hook - Knuckle, KNUCKLES NOT INCLUDED

COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53455	505mm (565mm Including Knuckle)	646mm (706mm Including Knuckle)	141mm	90mm	40mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53456	590mm (650mm Including Knuckle)	816mm (876mm Including Knuckle)	226mm	90mm	45mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53457	620mm (680mm Including Knuckle)	835mm (895mm Including Knuckle)	215mm	105mm	45mm

Knuckle Options


CAT 2	28mm	CAT3	PIN
			
53467 25mm Pin & R Clip included A: 28mm B: 25.4mm C: 40mm	53468 28mm Pin & R Clip included A: 28mm B: 28mm C: 40mm	53469 32mm Pin & R Clip included A: 28mm B: 32mm C: 40mm	53466 Pin with R Clip Usable Length 85mm Diameter 28mm

[SEARCH](#)

Handles

**43142**

Handle - New Holland

**53471**Handle
Long 10mm / 350mm**59028**

Handle - John Deere

**53470**Handle
Short 10mm / 275mm**53472**

Handle Clip

Balls

CAT 2

**4044**

CAT 2/3

**21018**

CAT3

**21019**

CHAIN

**41746**

For Quick Release CBM Type



SEARCH



STANDARD TOP LINKS

Ball size	Top Link	
CAT 1	3/4	19mm
CAT 2	1	25mm
CAT 3	1 1/4	32mm
CAT 4	1 25/32	45mm

Part No	Applications		Min	Max	CAT
51770	Handle for Ratch on Top Link fits 62108 1689 1690 1547 51720 <i>Shaft size is 44mm</i>				
21011	Top Link Assembly - Standard Duty Tube 7 1/2"		280mm	360mm	0
21008	Top Link Assembly CAT 2 - Standard Duty Tube 7" <i>Screw On End For Right Hand Thread is 21022</i>		315mm	410mm	2
21010	Top Link Assembly CAT 2 Tube 11 1/4"		405mm	585mm	2
2474	Top Link David Brown CAT 2 CAT 1, Conversion Tube 14 1/2" Adj Min 20" Max 30"		490mm	725mm	1/2
62108	Top Link 16" CAT 1 & 2 <i>Ratchet Handle is 51770</i>		520mm	700mm	1/2
1690	Top Link 16" CAT 1 Tube 16" <i>Ratchet Handle is 51770</i>		520mm	700mm	1
3785	Top Link 16" Heavy Duty CAT 2		560mm	800mm	2

STANDARD TOP LINKS

SEARCH

Part No	Applications		Min	Max	CAT
1547	Top Link CAT 1 & 2 <i>Ratchet Handle is 51770</i>		613mm	770mm	1/2
3792	Top Link CAT 2 Heavy Duty Tube 19" Adj Min 24 7/16" Max 35 5/16"		615mm	855mm	2
1689	Top Link 20" CAT 2 Tube 20" <i>Ratchet Handle is 51770</i>		625mm	915mm	2
3676	Top Link CAT 3 H/D 19" Jumbo Tube 19" Adj Min 25 5/16" Max 35 7/16" <i>CAT 3 to CAT 2 Conversion Bush is 53475</i>		650mm	880mm	3
53403	Top Link CAT 2 OE Ref: 3808658M91		720mm	920mm	2
53403R	Top Link 24" 610mm CAT 2 4260 4270 4360 4370 suits 38" Rims OE Ref: 3808658M91		735mm	840mm	2



Massey Ferguson Standard Top Links

Part No	Applications		Min	Max	CAT
62093	Top Link For TE 20 Original Type		640mm		1
41738	Top Link CBM CAT 2 (15" Tube) Landini Legend/Mc Cormack MC & MTX's		570mm	780mm	2
61609	Top Link Assembly FE 35 135 <i>Use with 32" Lift Arm 182632</i> OE Ref: 184134M91		590mm	750mm	1/1
61610	Top Link Assembly FE 35 135 <i>Use with 32" Lift Arm 182632</i> OE Ref: 184134M91		600mm	750mm	1/2
61611	Top Link 135 148 <i>Use with 35" Lift Arm - 1869289</i> OE Ref: 184078M91		630mm	770mm	1/1
61612	Top Link 135 148 <i>Use with 35" Lift Arm - 1869289</i> OE Ref: 194376M91		640mm	770mm	1/2
2525	Top Link Quick Release 3000 3100 6100's OE Ref: 3615052M4		645mm	736mm	2/2
1165	Top Link 188 590 595 21" OE Ref: 1660050M91		675mm	855mm	2
63459	Top Link 35 135 148 OE Ref: 1870075M91		685mm	838mm	1/2
1164	Top Link 165 188 21.5" CAT 2 + 2 OE Ref: 1887285M91		710mm	838mm	2/2


John Deere


Part No	Applications		Min	Max	CAT
58475	Top Link CAT 3 Hook End 6400 6600 6420 6430 6530 6115M OE Ref: AL176469		525mm	785mm	3
58472	Top Link CAT 2 Ball End 6105M 6115M 6125M OE Ref: AL200985		530mm	720mm	2
58474	Top Link John Deere 6400 6600 6420 6430 6530 6115M CAT 3 Ball End OE Ref: AL200986		540mm	740mm	3
2458	Top Link John Deere CAT 1 & 2 Heavy Duty		550mm	760mm	1/2
58473	Top Link CAT 2 Hook End 6200 6400 6600 6530 6430 6125M OE Ref: AL176473		550mm	735mm	2
59185	Top Link CAT 2 CAT 2 John Deere 6000		565mm	690mm	2/2
59184	Top Link CAT 2 CAT 3 John Deere 6000		575mm	690mm	3
58469	Top Link CAT 3 Ball End 6800 6900 6920 6830 6930 6150M OE Ref: AL200983		585mm	770mm	3
58470	Top Link CAT 3 Hook End 6800 6900 6920 6830 6930 6150M OE Ref: AL176465		605mm	810mm	3
59287	Top Link John Deere 6000 CAT II/II 605mm Centre to Centre OE Ref: AL78064 <i>59771 is Budget Version</i>		605mm		2/3
59768	Top Link John Deere 6000 CAT II/III 38mm (61cm) long (Centre to Centre)		610mm		2/3






John Deere

Part No	Applications		Min	Max	CAT
3252	Top Link Assembly John Deere 13" CAT 1 & 2 OE Ref: AL39170		610mm	762mm	1/2
59772	Top Link John Deere 6000 38mm OE Ref: AL176467		620mm		3/3
58471	Top Link CAT 3 CAT 3 Hook End 7430 7530 6170M OE Ref: AL167751		620mm	800mm	3
59771	Top Link John Deere 6000 CAT II/II 38mm		635mm		2/2
59042	Top Link John Deere 7600 7700 7800 7610 7 7810 7720 7820 7920 7630 7730 7830 7930 OE Ref: R96295		655mm		3
59923	Top Link Knuckle John Deere OE Ref: L41865	 			



Deutz

Part No	Applications		Min	Max	CAT
55223	Top Link Deutz 6206 Series 76		720mm	950mm	1/2
					

Fendt

Part No	Applications		A	B	C	CAT
680113	Top Link Fendt 927 930 933 936 939 CAT 4 Knuckle Ball CAT 3 <i>Pin is 29mm</i> OE Ref: G954871205040		700 mm	32 mm	39.5 mm	3

 **CBM** S.p.A.
CONSTRUTTORE MECCANICHE






SEARCH



Ford

Part No	Applications		Min	Max	CAT
3028	Top Link Ford 4000 4600 16.75" CAT 1 + 2 OE Ref: E6NN576C		610mm	795mm	1/2
42066	Top Link Assembly TM TS CAT 3 Hook OE Ref: 82032588 <i>Pin to suit is 43206</i> <i>C: 28mm</i>		620mm	896mm	3
42066R	Top Link Assembly Ford New Holland TM TS CAT 3 Hook CAT 28mm <i>Hole Pin is 43206</i> <i>Use Knuckle 53469 To Make CAT 3</i>		620mm	896mm	3
3027	Top Link Ford 5600 7600 17" CAT 2 OE Ref: 81824138		630mm	794mm	2
41309	Top Link Ford 40 - CAT 2 Ball 28mm Eye Fiat M100 to M160 - <i>Knuckle is 53469</i> <i>Pin to suit is 43206</i> OE Ref: 5166014		630mm	850mm	2



Case

Part No	Applications		A	B	C	CAT
52461	Top Link CAT 2/CAT2 Case Maxxum Series MXU Series Puma CVX New Holland T6000 TSA Series 28mm Pin OE Ref: 5197609		600 mm	28 mm		2
52459	Top Link CAT 3/CAT3 Case CS100 CS110 CS120 CS130 CS150 CVX1135 1145 1155 1170 1150 1195 CVX120 130 150 170 Ford TCT135 145 155 170 190 195 OE Ref: 132574312		660 mm	32 mm		3
52981	Top Link CAT 4 Case Magnum Optum 45mm Ball OE Ref: 47636942		710 mm	45 mm	32 mm	4



SEARCH



HEAVY DUTY TOP LINKS

Part No	Applications		Min	CAT
2199	Top Link John Deere CAT 2 SuperLink Tube 15"		550mm	2
3234	Top Link CAT 3 Superlink Tube 15" <i>CAT 3 to CAT 2 Conversion Bush - 53475</i>		570mm	3
4115	Top Link John Deere/Fendt CAT 2 SuperLink Tube 19"		610mm	2
3251	Top Link CAT 3 Superlink Tube 19" <i>CAT 3 to CAT 2 Conversion Bush - 53475</i>		660mm	3

Knuckle Ends

21005	Top Link CAT 3 Ball End & Knuckle End Tube 15" 28mm B <i>CAT 3 to CAT 2 Conversion Bush - 53475</i>		454mm	3
21004	Top Link CAT 3 Ball End & Knuckle End Tube 15" 25mm B <i>Top Link End is 21016</i> <i>CAT 3 to CAT 2 Conversion Bush - 53475</i>		550mm	3
21006	Top Link CAT 2 Ball End & Knuckle End Tube 15" 25mm B		570mm	2
21014	Top Link John D CAT 2 3 Ball End & Knuckle End Tube 15" 32mm B		570mm	2/3
21003	Quick Hitch Hook CAT 2/3 & Ball End Top Link Tube 15"		595mm	2/3
21007	Quick Hitch Hook CAT 2 & Knuckle End Top Link Tube 15" 25mm bore		660mm	2
3207	Quick Hitch Hook CAT 3/3 & Ball End Top Link Tube 19"		680mm	3/3



SEARCH



LINKAGE PINS AND ACCESSORIES




Part No	Image 1	Size
195589	TOP LINK PIN CAT 1	A: 19mm B: 102mm
195590	TOP LINK PIN CAT 1	A: 19mm B: 110mm
1461	TOP LINK PIN CAT 1 4.75"	A: 19mm B: 127mm
195591	TOP LINK PIN CAT 1	A: 76mm B: 76mm
62166	TOP LINK PIN 20D CAT 1	A: 19mm B: 83mm
53029	TOP LINK PIN CAT 1	A: 19mm B: 52mm
42141	TOP LINK PIN CAT 2	A: 25mm B: 142mm
42140	TOP LINK PIN CAT 2	A: 25mm B: 83 mm
2363	TOP LINK PIN 188 CAT 2	A: 110mm B: 110mm

Part No	Image 2	Size
4045	TOP LINK PIN CAT 1	A: 123mm B: 19mm
4078	TOP LINK PIN CAT 2	A: 123mm B: 25mm
4724	LOWER LINK PIN CAT 1	A: 123mm B: 22mm
4723	LOWER LINK PIN CAT 2	A: 123mm B: 28mm

Part No	Image 3	Size
1997	TOP LINK PIN CAT 1 & 2	A: 166mm
4110	LOWER LINK PIN CAT 1/2	A: 213mm
51115	LOWER LINK PIN CAT 1/2	A: 230mm
2468	TOP LINK PIN CAT 1/2	A: 170mm

Part No	Image 4	Size
1292	TOP LINK PIN IHC CAT 1	B: 25mm

Part No	Size	
43206	Top Link Pin Ford 40 Series TS Series OE Ref: 82007676 <i>To suit 41309 and 42066</i>	Length - 129mm Diameter - 28mm
44020	Top Link Pin Ford New Holland TM120 TM130 TM140 TM155 TM170 TM190 OE Ref: 5196306	




Weld on Ends

51095	Weld on End Cat 1 Top Link <i>Welding length: 30mm</i>	
51094	Weld on End Cat 2 Top Link <i>Welding length: 30mm</i>	

Top Link Balls

4044	Top Link Ball CAT 2/2	 51mm 50mm 25.7mm
21018	Top Link Ball CAT 3/2 OE Ref: 3617874M1	 51mm 60mm 25.7mm
21019	Top Link Ball CAT 3/3 OE Ref: 132129A1 CAT3 to CAT2 <i>Conversion Bush is 53475</i>	 51mm 60mm 32mm

Top Link Conversion Bushes

53475	Top Link Conversion Bush CAT 2 CAT 3 Suits 3676 3251 3234 21004 21005 21019 21001	
42144	Top Link Conversion Bush CAT 1/2 Ford 10 100 1000 30 40 Industrial TW Series	

R Clips

Part No	Size
3122	2mm
1668	3mm (1/8')
1666	4mm (3/16') OE Ref: 346161X1
3607	5mm
3608	6mm
3363	7mm Large

Double R Clips

Part No	Size
2483	4.5mm
2479	6mm
2485	6mm
2486	7mm




Part No	Application	Size	
1036	Linch Pin 7/16"	11mm	
1236	Linch Pin 1/4"	6mm	
1235	Linch Pin 5/16"	8mm	
4419	Linch Pin for 4418	12mm Diameter Pin	
61714	Linch Pin with Link Chain PAIR		
42101	Linch Pin Assembly		
42102	Linch Pin Assembly with Chain TSA TL TLA T6000		
52913	Safety Linch Pin	8mm	
53027	Safety Linch Pin	10mm	
53054	Linch Pin & Rubber Strap	5.5mm	
53055	Linch Pin & Rubber Strap	9.5mm	



Part No	Application	Size	
53057	Linch Pin & Grip Clip Assortment Pack Qty 50	1. 5x6mm 5. 10x3mm 2. 5x9.5mm 6. 10x4mm 3. 10x11mm 7. 5x5mm 4. 5x2mm	
53060	Stabiliser Linch Pin	59mm x 10mm	
59278	Stabiliser Linch Pin John Deere 6010 Series		
53492	Round Linch Pin	5mm	
43952	Linch Pin New Holland T5 T6 T7 TSA		
64924	Bottom Fork Linch Pin Valtra T154 T994		
64939	Levelling Box Bottom Linch Pin Massey Ferguson 6400, 7600, 7700 Series		
55342	Linch Pin Kit 50pcs		

Tow Pins

Part No	Application	Size	
1006	Tow Pin TEF 20 TE20 TEA20 TED20	Cat 1 7/8" 6 1/4"	
1755	Heavy Tow Pin with Chain 1" Thick	6 1/2"	
1779	Tow Pin	6" 1 1/8" Thick	
4163	Tow Pin with Heavy Chain	1 1/4" X 7 1/2"	

Top Link Securing Hook

Part No	Application	
61293	Top Link Securing Hook OE Ref: 1809938	



SEARCH





SEARCH



Visit our website
www.qtponline.com

To sign up for an account contact
web@qtponline.com

Give us a call
Phone: 00 353 44 934 1638

Quality Tractor Parts Ltd.
Units 5-7, Zone C,
Mullingar Business Park,
Mullingar,
Co. Westmeath,
Ireland
N91 ND3T.